

## BID SUBMISSION FORM

Company Name:

ORDER Nr: 2025/ESA-037

ITEM NR	CARGO	THE LOADING PORT	THE DISCHARGING PORT	GROSS QUANTITY OF CARGO (TONs) (A)	UNIT FREIGHT OF BID (EUR/TON)* (B)	TOTAL FREIGHT OF BID (EUR) (A*B)	Bandırma
							LAYCAN
1	MISC. BORON PRODUCTS	Bandırma	TERNEUZEN	12566.597 (+/- % 10 ETİ option)	0	0	18.04.2025-22.04.2025

Total: 12566.597

Total: 0

NOTES :

1.This form is sign by authorized personal.

2.Alternative bids, tonnage differences and other informations shall be written on "ADDITIONAL INF. FOR YOUR BID" section which at below.

VESSEL IMO:

LAST 4 CARGOES:

LOADING PORT ETA :

ENC : Vessel's particulars, P&I and Class certificates, cargo plan, hold photographs

ADDITIONAL INF. FOR YOUR BID

--

**BASIS OF TRANSPORT: FIOST lashing / securing / dunnage**

**Bandırma PORT LAYCAN : 18.04.2025-22.04.2025**

**ETA NOTICE : The contractor shall report vessel's estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals to Eti Maden and Buyer.**

**QUANTITY OF THE CARGO : Total: 12566.597 (+/- 10% option)**

**THE DEADLINE FOR BIDDING : 10.04.2025 13:30:00**

**THE VESSEL MUST BE MAX 20 YEARS OLD**

## **DETAILS OF PRODUCTS**

### **TERNEUZEN**

7500 tons KIR Etibor-48 (P2558172) in bulk,

300 tons BAN Borax Decahydrate (P2551173) in 1 MT LAM PP big bags without bottom valves

46,2 tons BAN Borax Decahydrate Powder (P2551174) in 25 kg LAM PP bags on 1050 kg 4-way pallets

150 tons EME ULS Boric Acid (P2557177) in 1 MT LAM PP baffle big bags with bottom valves

900 tons BAN NS Boric Acid (P2557175) in 1 MT LAM PP big bags without bottom valves

10,5 tons BAN Boric Acid Powder (P2557176) in 25 kg LAM PP bags on 1050 kg 4-way pallets

350 tons KIR Etibor-68 (P2559184) in 1,2 MT LAM PP big bags without bottom valves

800 tons BAN Etibor-68 (P2559185) in 1 MT PP+PE big bags without bottom valves

24 tons BAN Etibor-68 (P2559183) in 25 kg LAM PP bags on 1200 kg 4-way pallets

1900 tons BIG -75 mic Ground Colemanite (P2560180) in 2 MT LAM PP baffle big bags without bottom valves

96 tons BIG -75 mic Ground Colemanite (P2560182) in 1 MT LAM PP big bags without bottom valves

400 tons BIG -75 mic Ground Colemanite (P2560181) in 1 MT LAM PP big bags with bottom valves

13,2 tons BAN Etidot-67 (P2567187) in 600 kg PP+PE big bags with bottom valves

28,8 tons BAN Etidot-67 (P2567186) in 20 kg Craft bags on 720 kg 4-way pallets

23,1 tons BAN Boron Oxide Glassy (P2550178) in 25 kg Craft bags on 1050 kg 4-way pallets

5,0 tons BAN Boron Oxide Glassy (P2550179) in 1 MT PP+PE big bags with bottom valves

**Total Net: 12.546,800 tons (+/- %10 option)**

**Total Gross: 12.566,597 tons (+/- %10 option)**

**At discharging ports demurrage at the rate of 5000 EUR per day pro rata to be paid by Buyer.**

**Total discharging time is 7.1 days (WWD & SSHEX). If tonnages is increased, total time will be revised according to discharging rates.**

**Dispatch at the discharging ports is half of the demurrage (Demurrage/Half Despatch)**

- **7500 tons bulk Etibor-48 will be loaded at Nr.14 Eti Maden pier and other products will be loaded at one of Çelebi Terminal's pier is determined by the Contractor's agency.**
- **Bulk products should be stowed in different holds.**

- Big bags should be stowed in different hold.
- Etibor-68 and Borax Decahydrate big bags could be stowed on top of Etibor-48 bulk.
- Big bags must be stored maximum 8 tiers.

**Bulk products should be loaded in different holds seperately.**

**Product type and tonnages could be changed by ETİ within +/- 10% option.**

**When the bid is accepted by ETİ with certain tonnages, The option will be +/- 5%**

**The products are harmless, non-dangerous and non imo classed.**

#### **DETAILS OF LOADING PORT**

**Bandırma Eti Maden Berth (pier) :**

**Length: approximately 180 meter**

**Width: approximately 80 meter**

**Berth draft: SSW approximately 8,00 meter**

**1gsb (good, safe berth) & aa (always afloat)**

**Loading rate: approximately 5400 tons per day for bulk WWD & SSHEX**

**Çelebi Terminal :**

<b>Berth Length &amp; drafts</b>
----------------------------------

Berth Nr.	Length approximately (meter)	Approximately DRAFT SSW (Summer Salt Water) (METER)
2-3	284	9
4-5	324	10
6	130	10
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth
9	204	10
11	190	10

**Width:** approximately 80 meter

**1gsb (good, safe berth) & aa (always afloat)**

**Loading rate:** approximately 1500 tons per day for Big-Bag & 750 tons per day for pallets WWD & SSHEX.

## DETAILS OF DISCHARGING PORT

**1 SAFE BERTH, TERNEUZEN**

Unloading berth will be notified at discharging port by the agency of BUYER.

**Discharging rate:**

2500 tons per WWD & SSHEX for bulk

1250 tons per WWD & SSHEX for tons

All discharging rates are WWD & SSHEX.

Working hours of port: Mon-Fri 08:00-24:00

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor.

If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by the Contractor.

#### **THE LOADING AGENCY**

The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.

#### **THE DISCHARGING PORT AGENCY OF BUYER:**

VERBRUGGE MARINE B.V.  
ZWEDENWEG 1, PORT NUMBER 1361  
NL-4530 AA, TERNEUZEN  
THE NETHERLANDS  
Tel: +31 (115) 646 324  
Fax: +31 (115) 646 370  
Email: [terneuzen.agency@verbrugge.nl](mailto:terneuzen.agency@verbrugge.nl)