

BID SUBMISSION FORM

Company Name:

ORDER Nr: 2025/ESA-022

ITEM NR	CARGO	THE LOADING PORT	THE DISCHARGING PORT	GROSS QUANTITY OF CARGO (TONs) (A)	UNIT FREIGHT OF BID (EUR/TON)* (B)	TOTAL FREIGHT OF BID (EUR) (A*B)	Bandırma
							LAYCAN
1	MISC. BORON PRODUCTS	Bandırma	SZCZECIN	4930.917 (+/- % 10 ETİ option)	0	0	21.03.2025-25.03.2025

Total: 4930.917

Total: 0

NOTES :

1.This form is sign by authorized personal.

2.Alternative bids, tonnage differences and other informations shall be written on "ADDITIONAL INF. FOR YOUR BID" section which at below.

VESSEL IMO:

LAST 4 CARGOES:

LOADING PORT ETA :

ENC : Vessel's particulars, P&I and Class certificates, cargo plan, hold photographs

ADDITIONAL INF. FOR YOUR BID

--

BASIS OF TRANSPORT: FIOST lashing / securing / dunnage

Bandırma PORT LAYCAN : 21.03.2025-25.03.2025

ETA NOTICE : The contractor shall report vessel's estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals to Eti Maden and Buyer.

QUANTITY OF THE CARGO : Total: 4930.917 (+/- 10% option)

THE DEADLINE FOR BIDDING : 13.03.2025 13:30:00

THE VESSEL MUST BE MAX 20 YEARS OLD

DETAILS OF PRODUCTS

SZCZECIN

3300 tons BAN Etibor-48 (P2558109) in bulk,

120 tons BAN Borax Decahydrate (P2551105) in 25 kg LAM PP bags on 1200 kg 4-way pallets

1000 tons BAN NS Boric Acid (P2557107) in 1 MT LAM PP big bags with bottom valves

254,1 tons BAN NS Boric Acid (P2557106) in 25 kg FFS bags on 1050 kg 4-way pallets

48 tons BIG -75 mic Ground Colemanite (P2560108) in 1 MT LAM PP big bags without bottom valves

47,04 tons BAN Zinc Borate (P2581111) in 20 kg LAM PP bags on 840 kg 4-way pallets

48 tons BAN Etibor-48 (P2558112) in 25 kg LAM PP bags on 1200 kg 4-way pallets

92,16 tons BAN Etidot-67 (P2567110) in 20 kg Craft bags on 720 kg 4-way pallets

Total Net: 4.909,300 tons (+/- %10 option)

Total Gross: 4.930,917 tons (+/- %10 option)

At discharging ports demurrage at the rate of 3500 EUR per day pro rata to be paid by Buyer.

Total discharging time is 4.96 days (WWD & SSHEX). If tonnages is increased, total time will be revised according to discharging rates.

Dispatch at the discharging ports is half of the demurrage (Demurrage/Half Despatch).

Weekends, official and local holidays are not counted, and the countdown starts at 8:00 a.m. on the next business day following the holiday. If work is carried out on holiday or before the start of the countdown, half of the working time is counted. The working period is based on SSHEX.

Total 3300 tons bulk Etibor-48 will be loaded in Eti Maden Berth and the other products are loaded in one of Çelebi Terminal's pier is determined by the Contractor's agency.

Toplamda en fazla 8 sıra bigbag ürün yüklenebilir.

A maximum of 8 tiers of big bag products can be loaded in total.

Paletli ürünler en fazla 4 sıra yüklenebilir.

Palletized products can be loaded up to 4 tiers.

Bigbaglerin üzerine en fazla 1 sıra paletli ürün konulabilir.

A maximum of 1 tier of palletized products can be placed on top of the big bags.

Paletli ürünlerin üzerine bigbag konulamaz.

Big bags cannot be placed on top of palletized products.

Dökme ürün üzerine en fazla bir sıra bigbag konulabilir.

A maximum of one tier of big bags can be placed on bulk products.

Dökme ürün üzerine paletli ürün konulamaz.

Palletized products cannot be placed on bulk products.

- **The tarpaulin branda or thick nylon must be laid onto bulk cargo.**
- **Product types and tonnages could be changed by ETİ within 10% option.**

When the bid is accepted by ETİ with certain tonnages, The option will be +/- 5%

The products are harmless, non-dangerous and non imo classed without bulk Boric Acid and Zinc Borate

Teklif verilecek olan geminin aşağıda belirtilen tehlikeli sınıfta yer alan ürünü taşıyabilecek sertifikaya sahip olması ve tekliflerinizi iletirken bu sertifika ile iletmeniz gerekmektedir.

The ship must have a certificate that can carry hazardous cargo. Send your offer with this certificate.

Zinc. Borate SECTION 14. Transport information Hexaboron dizinc undecaoxide has a UN Number, and is regulated under international rail, road, water or air transport regulations.

14.1. UN number : 3077

14.2. UN proper shipping name : Environmentally Hazardous Substance. Solid, N.O.S. (Zinc Borate)

14.3. Transport hazard class(es) : 9

- 14.4. Packing group : III
- 14.5. Environmental hazards : Marine pollutant
- 14.6. Special precautions for user : N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: N.A.

DETAILS OF SHIP

There is no necessity for vessel crane.

Shipowner(s) and ship(s) must be a member of IACS.

Vessel should not been under detention within a year.

The ship should be suitable for the characteristic and climatic condition of the loading and unloading ports and the ship should be have proper depth holds in order to use crane and its grabber.

The Holds of Ship: The holds of the ship(s) should be double-skinned and box-shaped type and bulk head type. The holds shall have steel floors. The holds should be at the same size with the hatches, in "OPEN HATCH" form, with an automatic opening and closing feature.

DETAILS OF LOADING PORT

Bandırma Eti Maden Berth (pier) :

Length: approximately 180 meter

Width: approximately 80 meter

Berth draft: SSW approximately 8,00 meter

1gsb (good, safe berth) & aa (always afloat)

Loading capacity: approximately 5400 ton/24 hours (bulk) WWD & SSHEX

Çelebi Terminal :

Berth Length & drafts		
Berth Nr.	Length approximately (meter)	Approximately DRAFT SSW (Summer Salt Water) (METER)
2-3	284	9
4-5	324	10
6	130	10
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth
9	204	10
11	190	10

Width: approximately 80 meter

1gsb (good, safe berth) & aa (always afloat)

Loading capacity: approximately 1500 tons/ 24 hours (Bigbag) & 750 tons/24 hours (pallets) WWD & SSHEX

DETAILS OF DISCHARGING PORT

1 SAFE BERTH, GRECKIE QUAY, SZCZECIN

Weather working day SSHEX Working hours of port: Mon-Fri 06:30-21:30

A. For bulk: 1.500 tons / per weather working day,

B. For big bags (*1.000kg and 1.200kg*): 950 mtons / per weather working day,

C. For pallets (*720kg, 1.050kg and 1.250kg*): 350 mtons / per weather working day,

All discharging rates are WWD & SSHEX

LOA MAX 130 M

DRAFT MAX 6.60 M

beam – ideal is 14-15m

may accept vessel with beam of 17m as max (combination of crane outreach and bob-cat working inside from water side).

If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by the Contractor.

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor. That's why, all costs and expenses borne by the Contractor in case of the ship stay at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons.

THE LOADING AGENCY

The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.

THE BUYER'S AGENCIES OF DISCHARGING PORTS

SZCZECIN

Fast Baltic Sp. z o.o.

Ul. Bytomska 7, 70-603 Szczecin, Poland

Tel : +48 91 4308-550 / mob : +48 603 914-716

mail : cargo@fastbaltic.com.pl or pmaj@fastbaltic.com.pl maj@fastterminals.com.pl;