NR.2 TYPE SPECIFICATION/CONTRACT BID SUBMISSION FORM

Company Name:

AD Nr: 2019/ESA-209

ITE	ITEM	TRANSPORT WORK	THE LOADING	THE DISCHARGING PORT	GPOSS AMOUNT OF	UNIT PRICE OF BID (EUR/TON) * (B)	TOTAL VALUE OF BID (EUR) (A*B)	Bandırma
	NR	TRANSPORT WORK	PORT					LAYCAN
	1	MISC. BORON PRODUCTS	Bandırma	IMMINGHAM	3674.41 (+/- %5 ETİ option)	0	0	30.07.2019-02.08.2019

Total: 3674.41 Total: 0

NOTES:

1. This form is sign by authorized personal.

2. The bidders who are not in our repertoire declare to accept terms and condition of Nr.2 type specification/contract [that is find on website wwww.etimaden.gov.tr] on the Bid Submission Form and the requested documents and information that seen in same place by ETİ would be deemed to have committed in order to recorded to repertoire.

3. The bids is given via the Bid Submission Form and this Form and its attachment that included details of shipping & transport are signed and cached.

4.The nomination of ship and the Bandirma ETA must be given within the bid submission form and the Bandirma ETA must be suitable to Bandirma LAYCAN.

If the ship nomination & the Bandirma ETA are not given by bidders or the Bandirma ETA is not suitable to Bandirma Laycan, the bids will be disqualified.

5.The bidder accepts all terms of Type 2 Specification/contract and the details of shipping and transport.

6.In case a bid is given by the real and legal persons which is notified as affiliation and/or connected with terrorist organization by security and intelligent authorities, their bids are invalid and if contract was signed, it will be canceled and both of these situations firms will be banned. Bidder/Contractors do not have any right in these cases.

VESSEL IMO:

LAST 4 CARGOES:

LOADING PORT ETA: 23.07.2019

ENC: DETAILS OF SHIPPING & TRANSPORT

DETAILS OF SHIPPING AND TRANSPORT

- 1. The bidder will offer all of the work (items).
- 2. All of shipment shall be carried out from the loading ports/berths/terminals to unloading ports/berths/terminals by one ship and in the hold(s) of the ship and without a partial cargo.
- 3. The unloading will be made to buyer's berth is notified Buyer's agency.
- 4. All or some cargo could be directly transshipped into barge(s) and/or coaster(s).
- 5. The bill of lading(s) shall have got the phrase as 'Clean on Board'. The B/L(s) shall be delivered to ETİ without delay.
- 6. The holds will be reinforced with hatch cover marine tape (in min. 150 mm widths and at min. 5 mm thickness) or with foam by the Contractor in order to minimize water leakage.

BASIS OF TRANSPORT: FIOS lashing / securing / dunnage

Bandırma PORT LAYCAN: 30.07.2019-02.08.2019

Contractor shall be obliged to make available at Bandırma port, the ship that is suitable to the loading port/berth/terminal and to the discharge port/berth/terminal between 30.07.2019-02.08.2019 following his reception of the transportation instructions from the ETİ

ETA NOTICE: The ship shall report her estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals to ETİ and sales@etiproducts.com.

AMOUNT OF THE WORK: Total Total: 3674.41 (+/- 5% option)

THE DEADLINE FOR BIDDING : 26.07.2019 13:30:00 BUILT DATE OF VESSEL MUST BE MAX 20 YEARS

DETAILS OF PRODUCTS

IMMINGHAM


2200.000 tons KIR Etibor-48 (P1958391) in bulk,

501.500 tons BIG -75 mic Ground Colemanite (P1960392) in 1000 kg big bags with bottom valves,

601.800 tons BAN NS Boric Acid (P1957393) in 1000 kg big bags with bottom valves,

370.110 tons BAN NS Boric Acid (P1957394) in 1000 kg big bags without bottom valves,

2200 tons Etibor-48 will be loaded in Eti Maden Berth and the other products are loaded in one of Çelebi Terminal's piers is determined by the Contractor's agency.



Çelebi Terminal:

Berth Length & drafts						
Berth Nr.	Length approximately (meter)	Approximately DRAFT SSW (Summer Salt Water) (METER)				
2-3	284	9				
4-5	324	10				
6	130	10				
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth				
9	204	10				
11	190	10				

Width: approximately 80 meter

1gsb (good, safe berth) & aa (always afloat)

Loading capasity: approximately 1000 tons/hours(Bigbag) & 400 tons/hours (Bigbag+pallets)

DETAILS OF DISCHARGING PORT

1	SAFE	RERTH	IMMINGHAM

Unloading berth will be notified by the agency of discharge	arging	port.
---	--------	-------

Discharging rate:

approximately 1500 tons per WWD bulk,

approximately 1000 tons per for big bags

All discharging rates are WWD & SSHEX EIU

Discharging rates for bulk and bags are not be cumulative.

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor.

If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by the Contractor.

THE LOADING AGENCY

The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.

THE BUYERS' AGENCIES OF DISCHARGING PORTS

John Good and Sons (Shipping) Ltd.

Innovation Centre Europarc, DN37 9TT, Grimsby

North East Lincolnshire, United Kingdom

Phone +44 1472 722409

Fax +44 1472 722414

Direct +44 1472 722410

Mobile +44 7803 273360

Web: www.johngood.co.uk