Sayı: 38591462-400-2021-2766 14.10.2021

Konu: Çin'in Zhejiang Kıyılarındaki Deniz Trafiği

Düzenlemeleri Hk.

Sirküler No: 1072

Sayın Üyemiz,

Uluslararası Deniz Ticaret Odası (International Chamber of Shipping-ICS) tarafından Odamıza gönderilen 13 Ekim 2021 tarih ve RN(21)11 sayılı Ek'te sunulan yazıda;

10 Eylül 2021 tarihinde resmen yürürlüğe giren "Çin Halk Cumhuriyeti Deniz Trafik Güvenliği Yasası"nın Çin'in Zhejiang kıyılarını içeren hükümlerine yer verilmektedir. Söz konusu hükümler kapsamında bölgedeki deniz rotasının düzenlenmesiyle, gemilerin seyir güzergah rotaları ile balıkçılık alanları arasında net bir sınır çizgisi oluşturulduğu ve böylelikle olası çatışma ve çevre kirliliğine sebebiyet verecek kaza risklerini azaltmaya yönelik önlem alındığı ifade edilmektedir.

Bahse konu düzenlemede; Çin'in Zhejiang kıyıları boyunca ekte detayları ve şemaları verilen 15 farklı deniz rotasında optimizasyon ve düzenlemeye gidildiği belirtilmekte olup bölgeden geçiş yapacak gemilere yönelik talimatlara yer verilmektedir.

Bilgilerinize arz/rica ederim.

Saygılarımla,

İsmet SALİHOĞLU Genel Sekreter

Ek:ICS Yazısı ve Eki (17 sayfa)

Dağıtım:

Gereği:

- Tüm Üyeler (WEB sayfası ve e-posta ile)
- İMEAK DTO Şube ve Temsilcilikleri
- Türk Armatörler Birliği
- S.S. Gemi Armatörleri Motorlu Taşıyıcılar Kooperatifi
- Gemi, Yat ve Hizmetleri İhracatçıları Birliği
- VDAD (Vapur Donatanları ve Acenteleri Derneği)
- KOSDER (Koster Armatörleri ve İşletmecileri Derneği)
- DEM-BİR (Deniz Ürünleri Avcıları Üreticileri Merkez Birliği)
- Türk Uzakyol Gemi Kaptanları Derneği

Biloi:

- Yönetim Kurulu Başkan ve Üyeleri

Bu belge, 5070 sayılı Elektronik İmza Kanuna göre Güvenli Elektronik İmza ile İmzalanmıştır.



Odamızda ISO 9001:2015 KALİTE YÖNETİM SİSTEMİ Uygulanmaktadır

Evrakı Doğrulamak İçin : https://ebys.denizticaretodasi.org.tr/enVision/Dogrula/BS4L0JF93
Bilgi için: Serkan İNAL Telefon: 02122520130/157 E-Posta: serkan.inal@denizticaretodasi.org.tr
Meclis-i Mebusan Caddesi No:22 34427 Fındıklı-Beyoğlu-İSTANBUL/TÜRKİYE
Tel: +90 (212) 252 01 30 (Pbx) Faks: +90 (212) 293 79 35





Gelen Tarih Sayı: 13.10.2021 - 4322



Walsingham House 35 Seething Lane London EC3N 4AH

Tel +44 20 7090 1460

info@ics-shipping.org | ics-shipping.org

This Circular and its attachments (if any) are confidential to the intended recipient and may be privileged. If you are not the intended recipient, you should contact ICS and must not make any use of it.

13 October 2021 **RN(21)11**

TO: RADIO AND NAUTICAL SUB-COMMITTEE

Copy: All Full and Associate Members (for information)

ADJUSTMENT OF THE MAIN PUBLIC SHIPPING ROUTES IN ZHEJIANG PROVINCE CHINA

Action required: Members are to note the information provided regarding the adjustment of the main public shipping routes in Zhejiang Province, China.

The information provided in the attached follows the relevant provisions of 'Maritime Traffic Safety Law of the People's Republic of China' which formally came into force September 10, 2021.

The adjustment of the sea route will be helpful to establish a relatively clear borderline between ship's routes and fishing areas and reduce the potential risk of collision and environmental incidents.

The secretariat continues to liaise with the China MSA through our representative in Hong Kong SAR. We will update members if and when accordingly.

Please find the updated information attached at **Annex**.

Any additional comments on the above should be addressed to the undersigned Gregor.Stevens@ics-shipping.org

Gregor Stevens Senior Marine Adviser





www.huataimarine.com pni.bj@huatai-serv.com Duty Phone: +86 13701125026

Circular Ref. No.: PNI [2021] 12

Date: 8 September 2021



Coastal Waters of Zhejiang Province, China - Public Notice on the Adjustment of Main Public Shipping Routes


General Information of the Public Notice

According to the relevant provisions of Maritime Traffic Safety Law of the People's Republic of China, Zhejiang Maritime Safety Administration issued the Public Notice on the Adjustment of Main Public Shipping Routes along Coast of Zhejiang Province on August 30, 2021, which will be formally implemented from September 10, 2021.

The adjustment of sea route will be helpful to establish a relatively clear borderline between ship's routes and fishing areas, and reduce the potential risk of collision incidents between commercial vessels and fishing vessels.

II. Brief on the Public Notice and the Adjusted Routes

After optimization and adjustment, the 15 main shipping routes along the coast of Zhejiang are shown in the pattern of "three vertical and six horizontal routes".




From east to west, the "three vertical routes" consists of "Outer Route, East Route and West Route".

① Outer Route: It is the main shipping route of the North-South Channel along the coast of China, mainly serving large ships sailing in the north-south direction.

- ② East Route: Located between the Outer Route and the West Route, it runs through the coast of Zhejiang Province from north to south, mainly serving ships entering and leaving the Yangtze River and ships of about 10,000 tons sailing on the north-south route.
- West Route: It is located at the innermost side of the "three vertical", close to the coast and islands, and mainly serves small and medium-sized ships of 5,000 tons and below.

"Six horizontal routes" are the main channels for ships entering and leaving Zhejiang ports from the direction of east to west. They are composed of the entry and exit routes in six areas with numerous ports, namely, "Northern Zhoushan, Central and Northern Zhoushan, Central Zhoushan, Core port area of Ningbo-Zhoushan Port, Taizhou Bay, Wenzhou Port and Yueqing Bay" from north to south.

Among them, the route map of "Zhoushan, Central and Northern Zhoushan, Central Zhoushan, Core port area of Ningbo-Zhoushan Port" is illustrated as follows:



BEIJING

GUANGZHOU

SHANGHAI

DALIAN

QINGDAO

NINGBO


XIAMEN

SHENZHEN

The route map of "Taizhou Bay" is illustrated as follows:



The route map of "Wenzhou Port and Yueqing Bay" is illustrated as follows:



III. Attention and Caution

- 1. The route width is the theoretical width, and the waterway restricted by natural environment and navigation conditions, shall be limited to its actual width of the navigable water area.
- 2. The ship shall select the route scientifically and reasonably according to the characteristics of the ship and the port of destination with reference to the latest navigation materials. For large ships passing through the coastal areas of Zhejiang, it is recommended to choose the outer route preferentially and pass through the east side of the Haijiao.
- The ship shall maintain a proper lookout, keep the equipment of AIS in good working condition and a listening watch on VHF, and switch to the watchkeeping channel in time after entering the VTS area.
- 4. The ship shall proceed on the right side of the central line of the route at a safe speed and avoid parallel running with other ships for a long time with due regard to the observance of good seamanship. Particular caution shall be taken when entering and leaving the fairway, passing through the high traffic density and the traffic crossing area. When crossing the fairway, the ship shall cross on a heading as nearly as practicable at right angles to the general direction of traffic flow.
- 5. The vessel shall avoid anchoring and operating in the fairway waters.
- 6. In case of any danger, it shall be reported to the Maritime Safety Administration in time.

We hope the above is of assistance. Any query, please feel free to contact our local branches.

Best regards,

LUO Yong

General Manager

Appendix: Main Public Shipping Routes along Coast of Zhejiang Province

<u>TIANJIN</u>

Appendix:

Main Public Shipping Routes along Coast of Zhejiang Province

1. Outer Route

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	30°44.00′	123°16.00′	202	36.76	
2	30°10.00′	123°00.00′	196	80.12	3 nm on both sides of
3	28°53.00′	122°35.00′	211.5	132.20	Central Line
4	27°00.00′	121°17.50′	/	/	

2. Outer Route Branch Line (CJK-Waishuai Reef)

No.	Coordinate of	of Central Line	Course (°)	Course (°) Distance to the Next Waypoint Rout	
	Latitude (N)	Longitude (E)		(nm)	
1	30°47.00′	123°00.00′	180	37.04	1.5 nm on both sides of
2	30°10.00′	123°00.00′	/	/	Central Line

Mainly serves ships entering and leaving the northern Zhejiang port and Yangtze estuary.

3. East Route

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	30°51.60′	122°32.00′	156	12.48	
2	30°40.20′	122°37.90′	182.5	28.24	
3	30°12.00′	122°36.50′	173.5	32.84	2 nm on both
4	29 39.40′	122°40.85′	210.5	65.98	sides of
5	28°42.50′	122°02.70′	186	18.61	Central Line
6	28°24.00′	122°00.50′	215.5	102.90	
7	27°00.00′	120°53.60′	/	/	

4. East Route Branch Line

No.	Coordinate of Central Line		Coordinate of Central Line		Distance to the Next Waypoint	Route Width
1,0,	Latitude (N)	Longitude (E)	()	(nm)	10000	
1	30°49.00′	122°19.50′	171	11.14	1 nm on both	
2	30°38.00′	122°21.50′	122	16.05	sides of	
3	30°29.50′	122°37.30′	/	/	Central Line	

5. West Route

No.	Coordinate of	Coordinate of Central Line		Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	30°48.50′	122°18.30′	201.5	16.89	
2	30°32.80′	122°11.10′	262	11.49	1 nm on both
3	30°31.20′	121°57.90′	225	14.09	sides of
4	30°21.20′	121°46.40′	159	15.25	Central Line
5	30°07.00′	121°52.80′	152	2.16	

6	30°05.10′	121°53.98′	147	1.07	
7	30°04.20′	121°54.65′	139.5	1.09	
8	30°03.37′	121°55.47′	145	1.32	
9	30°02.29′	121°56.34′	156	4.37	
10	29°58.30′	121°58.4′	137	4.02	
11	29°55.37′	122°01.58′	090	5.32	
12	29°55.37′	122°07.71′	155	2.84	
13	29°52.80′	122°09.10′	211.5	2.54	
14	29°50.64′	122°07.57′	221.5	4.97	
15	29°46.92′	122°03.78′	185	1.12	
16	29°45.81′	122°03.66′	201.5	1.88	
17	29°44.06′	122°02.87′	212	1.72	
18	29°42.60′	122°01.82′	154	9.69	
19	29°33.90′	122°06.70′	180	27.02	
20	29°06.90′	122°06.70′	193	21.92	
21	28°45.60′	122°01.00′	212	20.97	
22	28°27.80′	121°48.40′	191	13.45	
23	28°14.60′	121°45.50′	221.5	41.46	
24	27°43.50′	121°14.50′	235.5	9.36	
25	27°38.20′	121°05.80′	223	15.34	
26	27°27.00′	120°54.00′	216	26.95	
27	27°05.20′	120°36.20′	/	/	

The vessel should navigate according to Routing System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port, Vessel Report System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port and other navigation management regulation when entering the vessel's routing system areas in core port area of Ningbo-Zhoushan Port.

6. West Route Branch Line (Yuxingnao - Jintang Bridge-Tuniju)

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	30°21.20′	121°46.40′	174	15.29	
2	30°06.00′	121°48.20′	178	6.31	
3	29°59.70′	121°48.45′	134	2.59	0.5 nm on both
4	29°57.90′	121°50.60′	120	1.00	sides of
5	29°57.40′	121°51.60′	085.5	3.83	Central Line
6	29°57.70′	121°56.00′	074	2.17	
7	29 '58.30'	121°58.40′	/	/	

The vessel should navigate according to *Routing System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port*, *Vessel Report System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port* and other navigation management regulation when entering the vessel's routing system areas in core port area of Ningbo-Zhoushan Port.

7. Entering Port Route at Northern Zhoushan (Entering Route of Majishan Port - Main Channel of Yangshan Port - Jinshan Channel)

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Name of the Waterway
	Latitude (N)	Longitude (E)		(nm)	-
1	30°15.70′	123°03.70′	307.1	35.75	
2	30°37.20′	122°30.60′	296.7	5.59	Entering Route
3	30°39.71′	122°24.80′	300.1	4.57	of Majishan Port
4	30°42.00′	122°20.20′	/	/	
5	30°28.21′	122°44.45′	281.8	16.69	Main Channel of
6	30°31.60′	122°25.50′	279.2	11.70	Yangshan Port
7	30°33.46′	122°12.10′	232.5	1.09	Jinshan Channel

8	30°32.80′	122°11.10′	262.1	24.74
9	30°29.37′	121°42.68′	283.5	18.71
10	30°33.70′	121°21.56′	/	/

8. Entering Port Route at Central-Northern Zhoushan [Southward Channel of Sheyimen - West Channel of Mid-Zhoushan Port Area (Northern Section)]

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Name of the Waterway
	Latitude (N)	Longitude (E)		(nm)	
1	30°20.35′	122°56.50′	270	13.21	Southward
2	30°20.35′	122°41.20′	299.5	4.27	Channel of
3	30°22.45′	122°36.90′	269.9	15.71	Sheyimen
4	30°22.39′	122°18.70′	270.7	15.02	West Channel of
5	30°22.55′	122°01.30′	278.9	8.12	Mid-Zhoushan Port Area
6	30°23.80′	121°52.00′	241.7	5.49	(Northern
7	30°21.20′	121 %46.40′	/	/	Section)

9. Entering Port Route at Central-Northern Zhoushan [The Public Section Out of Maao Channel - Guanmen Channel/ Guishan Channel/West Channel of Mid-Zhoushan Port Area (Southern Section)/ Changbai Channel]

No.	Coordinate	of Central Line	Course (°)	Distance to the Next Waypoint	Name of the
	Latitude (N)	Longitude (E)		(nm)	Waterway
1	30°02.09′	122°34.92′	291.1	13.81	Public Channel
2	30°07.26′	122°20.13′	269.7	7.74	of Maao
3	30°07.21′	122°11.19′	272.9	1.19	
4	30°07.27′	122°09.82′	318.4	2.92	
5	30°09.45′	122°07.58′	287.8	2.03	Guanmen Channel
6	30°10.07′	122°05.34′	322.5	0.67	Chamier
7	30°10.60′	122°04.87′	359.3	0.67	
8	30°11.27′	122°04.86′	313.9	1.63	West Channel of
9	30°12.40′	122°03.50′	296.2	7.71	Mid-Zhoushan
10	30°15.80′	121°55.50′	283.1	5.32	Port Area
11	30°17.00′	121°49.50′	327.5	4.98	(Southern Section)
12	30°21.20′	121°46.40′	/	/	2001311)
13	30°07.26′	122°20.13′	328.6	4.41	
14	30°11.02′	122°17.47′	310.3	2.54	
15	30°12.66′	122°15.23′	280.4	0.72	
16	30°12.79′	122°14.41′	268.1	2.76	Guishan
17	30°12.70′	122°11.22′	272.7	1.27	Channel
18	30°12.76′	122 \(\text{99.75}' \)	255.1	3.88	
19	30°11.76′	122°05.41′	224.1	0.68	
20	30°11.27′	122°04.86′	179.3	0.67	
21	30°10.60′	122°04.87′	219.6	1.52	
22	30°09.43′	122°03.75′	270	1.84	Changbai
23	30°09.43′	122°01.62′	296.1	1.39	Channel
24	30°10.04′	122°00.18′	/	/	

10. Entering Port Route at Core Port Area of Ningbo - Zhoushan Port (Deep Water Channel Out of Xiazhimen - Xiazhimen Channel/Tiaozhoumen Channel - Luotou Channel - Jintang Channel)

No.	Coordinate	of Central Line	Course (°)	Distance to the Next Waypoint	Name of the	
	Latitude (N)	Longitude (E)	, ,	(nm)	Waterway	
1	29°41.26′	122°31.37′	286.9	10.48	Deep Water Channel Out of	
2	29°44.30′	122°19.83′	310.6	6.23	Xiazhimen	
3	29°48.35′	122°14.39′	319.6	2.09		
4	29°49.94′	122°12.83′	330.1	1.41	Xiazhimen Channel	
5	29°51.16′	122°12.02′	333.9	4.69		
6	29°55.37′	122°09.64′	270	6.99		
7	29°55.37′	122°01.58′	316.8	4.02	Luotou Channel	
8	29°58.30′	121°58.40′	253.9	2.17		
9	29°57.70′	121°56.00′	265.5	3.83		
10	29°57.40′	121°51.60′	300	1.00		
11	29°57.90′	121°50.60′	314.0	2.59	Jintang Channel	
12	29°59.70′	121°48.45′	/	/		
13	29°41.37′	122°30.53′	269.8	10.08	The Recommended	
14	29°41.32′	122°18.93′	297.1	5.75	Route Out of Tiaozhoumen	
15	29°43.94′	122°13.04′	298.4	2.31	Tiaozhoumen Channel	
16	29°45.04′	122°10.70′	325.8	4.50		
17	29 48.76′	122°07.78′	058	3.15		
18	29°50.43′	122°10.86′	054	1.24	Fodu	
19	29°51.16′	122°12.02′	/	/	Channel	

船舶进入宁波舟山港核心港区定线制水域时应按照《宁波舟山港核心港区深水航路船舶定线制》《宁波舟山港核心港区深水航路船舶报告制》以及相应的航行管理规定航行。

The vessel should navigate according to Routing System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port, Vessel Report System for Deep-Water Way of Core Port Area of Ningbo-Zhoushan Port and other navigation management regulation when entering the vessel's routing system areas in core port area of Ningbo-Zhoushan Port.

11. North Entering Port Route to Taizhou Bay

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	28°52.90′	122°02.60′	220.3	0.5 nm on both sides of Central Line	0.5 nm on both
2	28°44.20′	121°54.20′	238.2	7.96	sides of Central Line
3	28°40.00′	121°46.50′	270	6.06	
4	28°40.00′	121°39.60′	/	/	

12. South Entering Port Route to Taizhou Bay

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	28°23.20′	121°47.30′	338.1	18.12	0.5 nm on both sides of Central
2	28°40.00′	121°39.60′	/	/	Line

13. North Entering Port Route to Yueqing Bay

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Route Width
	Latitude (N)	Longitude (E)		(nm)	
1	28°01.00′	121°31.73′	273.1	16.80	0.5 nm on both
2	28°01.88′	121°12.74′	/	/	sides of Central Line

14. South Entering Port Route to Yueqing Bay (Deep Water Route)

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Name of the
	Latitude (N)	Longitude (E)	, ,	(nm)	Waterway
1	27°52.60′	121°22.93′	315.9	12.94	Entering Port Route to Yueqing
2	28°01.88′	121°12.74′	/	/	Bay

The vessel should navigate according to *Routing System for The Water of Yueqing Bay*, *Vessel Report System for Yueqing Bay* and other navigation management regulation when entering the vessel's routing system areas of Yueqing Bay.

15. Entering Port Route to Core Port Area of Wenzhou Port

No.	Coordinate of Central Line		Course (°)	Distance to the Next Waypoint	Name of the
	Latitude (N)	Longitude (E)		(nm)	Waterway
1	27°49.01′	121°19.73′	314.5	9.01	Deep Water Entering Port
2	27°55.32′	121°12.46′	/	/	Route to Wenzhou Port